



Meets EU Safety, Health and Environmental Protection Requirements

## Characteristics



Continuous Duty



Dry Recovery



- Designed to capture airborne dust
- Centrifugal blower with TEFC induction motor rated for continuous duty
- Very powerful yet compact machine. Perfect for car washes, small machine shops, Cosmetics industry, dental labs, general clean-up, etc.
- Low pressure, high flow rate. 600-700 CFM (1020-1190 m<sup>3</sup>/h)
- Star shaped main filter with Manual Filter Shaker (MFS)
- Exhaust HEPA filter with an efficiency of 99.995% at 0.3 micron also acts as a silencer for a quiet operation
- Stainless steel construction (filter chamber and recovery tank) is ideal for all applications
- Different motor voltages are available
- Thermal overload for motor
- Available with 4" inlet tube (-4T) or with support elbow with flange for 4" dust extraction arm (-4A) or for 3" dust extraction arm (-3A)

## Specifications

PDC-198 (OL) DT HEPA	111194B3-3A	111194B3-4A	111194B3-4T
<b>Model Name</b>	PDC-198 (OL) DT HEPA	PDC-198 (OL) DT HEPA	PDC-198 (OL) DT HEPA
<b>Type (Powerhead)</b>	Electric	Electric	Electric
<b>TEFC Motor</b>	Yes	Yes	Yes
<b>Tension</b>	230 V	230 V	230 V
<b>Frequency</b>	50 Hz	50 Hz	50 Hz
<b>Phase</b>	Single	Single	Single
<b>Wattage</b>	1100 W	1100 W	1100 W
<b>Power</b>	1.1 kW	1.1 kW	1.1 kW
<b>Amperage</b>	A	A	A
<b>Air Flow</b>	1020-1190 m <sup>3</sup> /h	1020-1190 m <sup>3</sup> /h	1020-1190 m <sup>3</sup> /h
<b>Sound Level</b>	72 dB(A)	72 dB(A)	72 dB(A)
<b>Type of Power Outlet</b>	Not Included	Not Included	Not Included
<b>Suction Inlet Port</b>	3" ELBOW	4" ELBOW	4" TUBE
<b>Cart Type</b>	Carriage Base (CB)	Carriage Base (CB)	Carriage Base (CB)
<b>Filter Cleaning</b>	Manual Filter Shaker (MFS)	Manual Filter Shaker (MFS)	Manual Filter Shaker (MFS)
<b>Dry Recovery - Drawer</b>	65 L	65 L	65 L
<b>Length</b>	74 cm	74 cm	74 cm
<b>Width</b>	62 cm	62 cm	62 cm
<b>Height</b>	160 cm	160 cm	160 cm
<b>Weight (Vacuum Only)</b>	67 kg.	67 kg.	67 kg.
<b>Cord Length</b>	9 m	9 m	9 m

Please note that specifications are subject to change without notice

## Use only recommended tools & accessories



PDC-198 (OL) DT HEPA Rear View



4T version with 4" (10mm) inlet tube



Support elbow with flange for 4" dust extraction arm (-4A Models)



Optional 3" (76mm) dust extraction arm



Optional 4" (100mm) dust extraction arm