

European Headquarters

Tiger-Vac Europa S.R.L.
Via Marie Curie 17
Zona Industriale Ponte Rizzoli
Ozzano Emilia, BO 40064

Tel: ((39) 051 79.53.52)
Fax: ((39) 051 4695077)
Website: <http://www.tiger-vac.eu>
Email: info@tiger-vac.it

International Headquarters

Tiger-Vac International Inc.
2020 Dagenais Blvd. Ouest
Laval, Quebec
Canada H7L 5W2

Tel: (450-625-0099)
Fax: (450-625-3388)
Website: <http://www.tiger-vac.com>
Email: sales@tiger-vac.com



Pharma Applications



Cleanroom Compatible



Dry Recovery



ULPA - Included



High Filtration Efficiency Unit



Static Dissipating



Stainless General



Less than 10 ohms

Specifications For CR-1400WD/CR-1400D

Name	Part Number	Tension	Frequency	Phase	Wattage	Power	Amperage	Air Flow	Vacuum Pressure	Type of Power Outlet	Dust Recovery Tank	Dry Recovery - Disposable Filter Bag
CR-1400D	113203B	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	European	38 L	19 L
	Dimensions: H114 cm x W62 cm x L66 cm Weight: 39 kg. Sound Level: 65/75 dB(A)											
Description: Dry Only												
CR-1400D	113203C	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	UK	38 L	19 L
	Dimensions: H114 cm x W62 cm x L66 cm Weight: 39 kg. Sound Level: 65/75 dB(A)											
Description: Dry Only												
CR-1400D	113203E	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	Chinese	38 L	19 L
	Dimensions: H114 cm x W62 cm x L66 cm Weight: 39 kg. Sound Level: 65/75 dB(A)											
Description: Dry Only												
CR-1400WD	113204B	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	European	38 L	19 L
	Dimensions: H114 cm x W62 cm x L66 cm Weight: 39 kg. Sound Level: 65/75 dB(A)											
Description: Wet & Dry												
CR-1400WD	113204C	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	UK	38 L	19 L
	Dimensions: H114 cm x W62 cm x L66 cm Weight: 39 kg. Sound Level: 65/75 dB(A)											
Description: Wet & Dry												
CR-1400WD	113204E	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	Chinese	38 L	19 L
	Dimensions: H114 cm x W62 cm x L66 cm Weight: 39 kg. Sound Level: 65/75 dB(A)											
Description: Wet & Dry												
CR-1400WD (DT) MRAC	113206B	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	European	38 L	19 L
	Sound Level: 65/75 dB(A)											
Description: Wet & Dry with Middle Ring with Activated Carbon												

CR-1400WD (DT) MRAC	113206C	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	UK	38 L	19 L
	Sound Level: 65/75 dB(A)											
Description: Wet & Dry with Middle Ring with Activated Carbon												

CR-1400WD (DT) MRAC	113206E	240 V	50 Hz	Single	1200 W	1.2 kW	5 A	194 m ³ /h	2504 mm H ₂ O	Chinese	38 L	19 L
	Sound Level: 65/75 dB(A)											
Description: Wet & Dry with Middle Ring with Activated Carbon												

Please note that specifications are subject to change without notice

Technical Sheet For CR-1400WD/CR-1400D

FILTERS - Included												
Part #	Description											
219372	ULPA FILTER WITH GASKETS ON BOTH SIDES, 99.999% ON 0.12 MICRON, FOR MODELS CR-1300 & CR-1400											
215393A	MAIN FILTER ASSEMBLY, WITH LACES (CAGE SOLD SEPARATELY)											
218390	WIRE CAGE FOR CLOTH FILTER, STAINLESS STEEL TYPE 304											
218063-5	SYNTHETIC RECOVERY BAGS, 10" x 28", 50mm COLLAR (PACKAGE OF 5))											

AUTOCLAVABLE FLOATER FOR CR-1400D - Optional												
Part #	Description											
212710CR	AUTOCLAVABLE FLOATER CAGE ASSEMBLY FOR MODEL CR-1400 WD											

AUTOCLAVABLE FLOATER FOR CR-1400WD - Included												
Part #	Description											
212710CR	AUTOCLAVABLE FLOATER CAGE ASSEMBLY FOR MODEL CR-1400 WD											

DEFOAMING LIQUID FOR CR-1400WD - Included												
Part #	Description											
211701B	DEFOAMING LIQUID (BOTTLE) 250 ml(8.5 fl. oz.)											

ACTIVATED CARBON CARTRIDGE FOR CR-1400WD (MRAC) - Optional												
Part #	Description											
219493	POLYESTER FILTER ASSEMBLY w/CLAMP TO FIT ON ACTIVATED CARBON FILTER CARTRIDGE											
212200B	CARBON CARTRIDGE ASSEMBLY WITH 3mm CARBON (REGULAR)											
212200C	CARBON CARTRIDGE ASSEMBLY WITH 3mm MERSORB ACTIVATED CARBON (FOR MERCURY VAPORS)											
212200K	CARBON CARTRIDGE ASSEMBLY WITH 3mm KOGC3/KINA3 CARBON (FOR CHLORIDE VAPORS)											
212200L	CARBON CARTRIDGE ASSEMBLY WITH 3mm A-3 CARBON (FOR ARSINE AND PHOSPHINE VAPORS)											

Ø1.25" (Ø32mm) TOOL KITS - Optional												
Part #	Description											
323306WD	TOOL KIT FOR WET & DRY RECOVERY FOR MODELS CR-1300 & CR-1400											
323602	ESD SAFE TOOL KIT #2 FOR CR-1000											
323604	AUTOCLAVABLE TOOL KIT #3 FOR MODEL CR-1000											

Ø1.25" (Ø32mm) BASIC TOOL KIT FOR WET & DRY RECOVERY - Optional												
Part #	Description											
323403G	CLEAR URETHANE HOSE ASMBLY 1.25"(32mm)x10'(3m) w/1.5" S/S FEMALE CAMLOCK&STRAIGHT CONNECTOR #323445											
323331	STAINLESS STEEL WANDS 1.25" 32cm (SET OF 2) - ONE CURVED AND ONE STRAIGHT											
323317	UTILITY FLOOR TOOL WITH WHEELS & WITH SQUEEGEE BLADES 1.25"(32mm) x 12"(30cm), BEIGE PLASTIC											
323318	UTILITY FLOOR TOOL WITH NYLON BRISTLES 1.25"(32mm) x 12"(30cm), BEIGE PLASTIC											
323313	CREVICE TOOL, 1.25"(32mm) x 9"(23cm), BEIG, PVC											
323314	UPHOLSTERY FLAT TOOL, Ø1.25"(32mm), PVC											
323321	ROUND TOOL, WITH RUBBER BLADES, Ø1.25"(32mm)											
323306WD	TOOL KIT FOR WET & DRY RECOVERY FOR MODELS CR-1300 & CR-1400											

Ø1.25" (Ø32mm) ESD SAFE TOOLS AND ACCESSORIES - KIT #2 - Optional												
Part #	Description											
323316	MICRO TOOL KIT, Ø1.25"(32mm), ESD* SAFE PLASTIC											

323608	SUCTION HOSE ASSEMBLY, ESD SAFE, 1.25"(32mm)x8'(2.4m) FOR MODEL CR-1000
323331	STAINLESS STEEL WANDS 1.25" 32cm (SET OF 2) - ONE CURVED AND ONE STRAIGHT
323318A	UTILITY FLOOR TOOL, Ø1.25"(Ø32mm) x 12"(30cm), STATIC CONDUCTIVE PLASTIC w/CONDUCTIVE NYLON BRISTLES
323313A	CREVICE TOOL, 1.25"(32mm) x 8"(20cm), BLACK, ESD SAFE PLASTIC w/HOLE FOR BUTTON LOCK
323312A	ROUND BRUSH, 1.25"(32mm) x 3"(7.5cm), ESD SAFE PLASTIC, WITH HOLE FOR BUTTON LOCK
323321A	ROUND TOOL, WITH RUBBER BLADES, Ø1.25"(32mm), ESD SAFE PLASTIC
323314A	UPHOLSTERY FLAT TOOL, 1.25"(32mm) x 5"(13cm), ESD SAFE PLASTIC
323602	ESD SAFE TOOL KIT #2 FOR CR-1000

Ø1.25" (Ø32mm) AUTOCLAVABLE TOOLS AND ACCESSORIES - KIT #3 - Optional

Part #	Description
323462	EPDM SUCTION HOSE ASSEMBLY (AUTOCLAVABLE) 1.25"(32mm)x8'(2.4m) FOR MODEL CR-1000
323331	STAINLESS STEEL WANDS 1.25" 32cm (SET OF 2) - ONE CURVED AND ONE STRAIGHT
323412	FLOOR TOOL ASSEMBLY, AUTOCLAVABLE, 1.25"(32mm) x 12"(30cm), STAINLESS STEEL w/WHITE NITRILE BLADES
323413	CREVICE TOOL, AUTOCLAVABLE, Ø1.25"(32mm)x10"(25.4cm) -STAINLESS STEEL
323565	CONICAL NOZZLE w/CURVED TIP w/SS CONNECTOR INSTALLED 1.25"(32mm)x10"(25cm), CLEAR FOODGRADE SILICONE
323604	AUTOCLAVABLE TOOL KIT #3 FOR MODEL CR-1000